



ONE-STOP FURNITURE HARDWARE SUPPLIER



OWN FACTORY
Quality Control



PREMIUM QUALITY
Reliable & Durable



WIDE RANGE
One-stop Solution



TRUSTED PARTNER
Global Cooperation

uklink-hardware.com

Zhaoqing Uklink Hardware Products Co., Ltd.

✉ info@uklink-hardware.com

📘 <https://www.facebook.com/uklinkhw>

📍 Unit 101, Building 2, No. 13 Jinyuan Avenue, Jinli Town, Gaoyao District, Zhaoqing, Guangdong



FURNITURE HARDWARE CATALOG

Premium Quality
Wide Range
One-stop Solution



SOFA LEGS



HANDLES



CLOTHES RAIL



DISH RACK

01.SOFA LEGS



Art.	/	H(mm)	Material
U01SFJ001	38/50	80-150	Aluminium/iron



Art.	/	H(mm)	Material
U01SFJ002	30	50-200	iron



Art.	/	H(mm)	Material
U01SFJ003	25	100	iron



Art.	/	H(mm)	Material
U01SFJ004	25	100-200	iron



Art.	/	H(mm)	Material
U01SFJ005	50	40-200	iron



Art.	/	H(mm)	Material
U01SFJ006		100/120	iron



Art.	/	H(mm)	Material
U01SFJ007	25	90/95/110	iron/Zinc alloy



Art.	/	H(mm)	Material
U01SFJ008		100	iron/Zinc alloy



Art.	/	H(mm)	Material
U01SFJ009	30	50-150	iron



Art.	/	H(mm)	Material
U01SFJ010		120	iron



Art.	/	H(mm)	Material
U01SFJ011	25	100-150	iron



Art.	/	H(mm)	Material
U01SFJ012	50	100	iron



Art.	/	H(mm)	Material
U01SFJ013	30	50-150	Aluminium



Art.	Ø	H(mm)	Material
U01SFJ014	50	80-150	iron



Art.	Ø	H(mm)	Material
U01SFJ015	50	50-150	iron



Art.	Ø	H(mm)	Material
U01SFJ016	40	80-150	iron/Zinc alloy



Art.	Ø	H(mm)	Material
U01SFJ017	30/50	100-150	Aluminium/Zinc alloy



Art.	Ø	H(mm)	Material
U01SFJ018	50	80-150	iron



Art.	Ø	H(mm)	Material
U01SFJ019	50	40-200	iron



Art.	Ø	H(mm)	Material
U01SFJ020	42/50	50-200	iron



Art.	Ø	H(mm)	Material
U01SFJ021	30/50	50-200	Zinc alloy



Art.	Ø	H(mm)	Material
U01SFJ022	40	100-200	iron



Art.	Ø	H(mm)	Material
U01SFJ024	50	215	iron/Zinc alloy



Art.	Ø	H(mm)	Material
U01SFJ026	38	100	Aluminium



Art.	Ø	H(mm)	Material
U01SFJ027		170	iron



Art.	Ø	H(mm)	Material
U01SFJ023	50	215	iron/Zinc alloy



Art.	Ø	H(mm)	Material
U01SFJ025	40	60-100	Aluminium



Art.	Ø	H(mm)	Material
U01SFJ027	50	60-100	Aluminium



Art.	Ø	H(mm)	Material
U01SFJ029		90	iron



Art.	Ø	H(mm)	Material
U01SFJ030		90	iron



Art.	Ø	H(mm)	Material
U01SFJ031	50	120	iron



Art.	Ø	H(mm)	Material
U01SFJ038		150	iron



Art.	Ø	H(mm)	Material
U01SFJ039		75	iron/Zinc alloy



Art.	Ø	H(mm)	Material
U01SFJ032	25	100	iron



Art.	Ø	H(mm)	Material
U01SFJ033	50	80-120	Aluminium



Art.	Ø	H(mm)	Material
U01SFJ040	50	100	iron



Art.	Ø	H(mm)	Material
U01SFJ041	60	70	iron



Art.	Ø	H(mm)	Material
U01SFJ034	50	80-150	Aluminium



Art.	Ø	H(mm)	Material
U01SFJ035		35/45	Zinc alloy



Art.	Ø	H(mm)	Material
U01SFJ042	38	80-200	iron



Art.	Ø	H(mm)	Material
U01SFJ043	65	120	iron



Art.	Ø	H(mm)	Material
U01SFJ036	42/50	50-200	iron



Art.	Ø	H(mm)	Material
U01SFJ037	19	100/120	iron



Art.	Ø	H(mm)	Material
U01SFJ044	50	120	iron



Art.	Ø	H(mm)	Material
U01SFJ045	60	150	iron



Art.	Ø	H(mm)	Material
U01SFJ046		100	iron



Art.	Ø	H(mm)	Material
U01SFJ047		40	iron



Art.	Size mm	H(mm)	Material
U01SFJ048	D38	CP/SN/BL	Zinc alloy



Art.	W(mm)	H(mm)	Material
U01SFJ049		130	iron



Art.	D(mm)	H(mm)	Material
U01SFJ050			iron



Art.	D(mm)	H(mm)	Material
U01SFJ051	30-38	100-300	iron



Art.	D(mm)	H(mm)	Material
U01SFJ052	75	100	iron



Art.	D(mm)	H(mm)	Material
U01SFJ053	45&50	60-200	iron



Art.	D(mm)	H(mm)	Material
U01SFJ054			iron



Art.	D(mm)	H(mm)	Material
U01SFJ056			iron



Art.	D(mm)	H(mm)	Material
U01SFJ058			iron



Art.	D(mm)	H(mm)	Material
U01SFJ060			iron



Art.	D(mm)	H(mm)	Material
U01SFJ055			iron



Art.	D(mm)	H(mm)	Material
U01SFJ057			iron



Art.	D(mm)	H(mm)	Material
U01SFJ059			iron



Art.	D(mm)	H(mm)	Material
U01SFJ061			iron



Art.	D(mm)	H(mm)	Material
U01SFJ062			AL alloy



Art.	D(mm)	H(mm)	Material
U01SFJ063			AL alloy



Art.	D(mm)	H(mm)	Material
U01SFJ064			AL alloy



Art.	D(mm)	H(mm)	Material
U01SFJ065			AL alloy



Art.	H	
U01SFJ066	100-130mm	100set



Art.	L	L1	
U01SFJ067	20	18	1500



Art.	Ø	H	
U01SFJ068	51	25	500



Art.	Ø	H	
U01SFJ069	49	27	250



Art.	H1mm	H2mm	H3mm	H4mm	H5mm	H6mm	
U01SFJ070	95-125	95-140	115-145	115-160	135-165	135-180	300set

02.TABLE LEGS



U01TJ001



U01TJ002



U01TJ003



U01TJ004



U01TJ005



U01TJ006

Finish	DIAMETRE
Chrome Black Brass Silver White Satin nickel Matt black Texture Matt chrome Matt nickel	50mm 60mm 80mm



U01TJ007



U01TJ008



U01TJ009



U01TJ010



U01TJ011



U01TJ012

03.PULLS & KNOBS





C-001

Model	U01LS001		
Material	AL-alloy	Size	96-160mm
Finish	chrome,satin nickel,brass,matt nickel		



U01LS002

L/总长	C.C./孔距	H/总高	W/宽直径
100	64	34	12
150	96	34	12
200	128	34	12
250	160	34	12



U01LS003



U01LS004



U01LS005



U01LS006



U01LS007



U01LS008



U01LS018



U01LS019



U01LS020



U01LS009



U01LS010



U01LS011



U01LS021



U01LS022



U01LS023



U01LS012



U01LS013



U01LS014



U01LS024



U01LS025



U01LS026



U01LS015



U01LS016



U01LS017



U01LS027



U01LS028



U01LS029



U01LS030



U01LS031



U01LS032



U01LS042



U01LS043




U01LS044



U01LS033



U01LS034



U01LS035



U01LS045



U01LS046



U01LS047



U01LS036



U01LS037



U01LS038



U01LS048



U01LS049



U01LS050



U01LS039



U01LS040



U01LS041



U01LS051



U01LS052



U01LS053

04.DISH RACKS



Model	Cabinet Width				Material
U01JZ001	400mm	500mm	700mm	800mm	stainless steel
	450mm	600mm	900mm	1000mm	



Model	Cabinet Width				Material	Finish
U01JZ002	400mm	500mm	700mm	900mm	iron	chrome
	450mm	600mm	800mm	1000mm		




Model	U01JZ003			
Cabinet Width	500mm	600mm	700mm	800mm
Material	iron			
Finish	white			

Model	U01JZ004			
Cabinet Width	400mm	450mm	500mm	550mm
Material	stainless steel		600mm	700mm




Model	Size	Material	Finish
U01JZ005	600mm	iron	chrome



Model	Dimension	Cabinet Width
U01JZ006	D444*W100*H470MM	150mm
	D444*W150*H470MM	200mm
	D444*W200*H470MM	250mm



Model	Dimension	Cabinet Width
U01JZ010	D444*W100*H485MM	150mm
	D444*W150*H485MM	200mm



Model	Dimension	Cabinet Width
U01JZ007	D444*W100*H485MM	150mm
	D444*W150*H485MM	200mm



Model	Dimension	Cabinet Width
U01JZ011	D444*W100*H485MM	150mm
	D444*W150*H485MM	200mm

U01JZ008



U01JZ009



U01JZ012



U01JZ013





Item No.	DxWxH(mm)	Cabinet(mm)
U01J2014	260x564x280	600
U01J2015	260x664x280	700
U01J2016	260x764x280	800
U01J2017	260x864x280	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2018	260x564x210	600
U01J2019	260x664x210	700
U01J2020	260x764x210	800
U01J2021	260x864x210	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2066	460x250x(830-750)	300
U01J2067	460x350x(830-750)	400
U01J2068	460x400x(830-750)	450



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2069	470x564x205	600
U01J2070	470x664x205	700
U01J2071	470x714x205	750
U01J2072	470x764x205	800
U01J2073	470x864x205	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2022	364x280x65	400
U01J2023	414x280x65	450
U01J2024	464x280x65	500
U01J2025	564x280x65	600
U01J2026	664x280x65	700
U01J2027	764x280x65	800
U01J2028	864x280x65	900
U01J2029	964x280x65	1000



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2030	400x700x(600-750)	750
U01J2031	415x740x(600-750)	800
U01J2032	447x820x(600-750)	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2074	493x237x565	300
U01J2075	493x287x565	350
U01J2076	493x337x565	400



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2077	470x564x205	600
U01J2078	470x664x205	700
U01J2079	470x714x205	750
U01J2080	470x764x205	800
U01J2081	470x864x205	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2033	383x475x(600-750)	750
U01J2034	415x740x(600-750)	800
U01J2035	465x840x(600-750)	900



Item No.	ΦxH(mm)	Cabinet(mm)
U01J2036	Φ710x(600-750)	800
U01J2037	Φ820x(600-750)	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2082	470x564x205	600
U01J2083	470x664x205	700
U01J2084	470x714x205	750
U01J2085	470x764x205	800
U01J2086	470x864x205	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2087	470x564x205	600
U01J2088	470x664x205	700
U01J2089	470x714x205	750
U01J2090	470x764x205	800
U01J2091	470x864x205	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2038	497x102x525	150
U01J2039	470x102x525	150
U01J2040	470x146x525	200
U01J2041	497x146x525	200



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2042	470x100x657	150
U01J2043	470x110x657	160
U01J2044	470x155x657	200
U01J2045	470x205x657	250
U01J2046	470x255x657	300
U01J2047	470x305x657	350



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2092	430x364x140	400
U01J2093	430x414x140	450
U01J2094	430x464x140	500
U01J2095	430x564x140	600
U01J2096	430x664x140	700
U01J2097	430x764x140	800
U01J2098	430x864x140	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2099	470x564x205	600
U01J2100	470x664x205	700
U01J2101	470x714x205	750
U01J2102	470x764x205	800
U01J2103	470x864x205	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2048	485x105x566	150
U01J2049	485x155x566	200
U01J2050	485x205x566	250
U01J2051	485x255x566	300
U01J2052	485x340x566	380
U01J2053	485x420x566	460



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2054	450x356x532	400



Item No.	ΦxH(mm)	Cabinet(mm)
U01J2104	Φ710x(600-750)	800
U01J2105	Φ820x(600-750)	900



Item No.	ΦxH(mm)	Cabinet(mm)
U01J2106	500x(864-964)x525	900-1000
U01J2107	500x(864-964)x525	900-1000



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2055	477x94x505	150
U01J2056	477x140x505	200
U01J2057	477x240x505	300
U01J2058	477x340x505	400
U01J2059	477x390x505	450
U01J2060	477x440x505	500



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2061	470x564x205	600
U01J2062	470x664x205	700
U01J2063	470x714x205	750
U01J2064	470x764x205	800
U01J2065	470x864x205	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2108	460x250x(1150-1350)	300
U01J2109	460x350x(1150-1350)	400
U01J2110	460x250x(1500-1800)	300
U01J2111	460x350x(1500-1800)	400
U01J2112	460x250x(1700-2000)	300
U01J2113	460x350x(1700-2000)	400
U01J2114	460x200x(1850-2200)	250
U01J2115	460x250x(1850-2200)	300
U01J2116	460x350x(1850-2200)	400
U01J2117	460x400x(1850-2200)	450



Item No.	DxWxH(mm)	Cabinet(mm)
U01J2118	500x(864-964)x530	900-1000



U01JZ119	
Specification(mm)	Cabinet Width(mm)
D480*W810*H(600-770)mm	950mm
D480W810(600-770)mm	950mm



U01JZ120	
Specification(mm)	Cabinet Width(mm)
D480*W810*H(600-770)mm	950mm
D480*W810*H(600-770)mm	950mm



U01JZ121	
Specification(mm)	Cabinet Width(mm)
D340*W564*H600mm	600mm
D340xW664xH600mm	700mm
D340xW764xH600mm	800mm
D340xW864xH600mm	900mm



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ122	470x236x465	300



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ124	280x564x550	600
U01JZ125	280x664x550	700
U01JZ126	280x764x550	800
U01JZ127	280x864x550	900



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ129	470x175x465	250



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ131	470x286x465	350



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ133	496x545x540	500



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ123	470x286x465	350



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ128	477x146x505	200



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ130	470x236x465	300



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ132	498x412x415	450



Item No.	DxWxH(mm)	Cabinet(mm)
U01JZ134	502x565x537	600

05.TUBES



Model	Size	Thickness	Finish
U01GZ001	10mm 12mm 16mm 19mm 20mm 25mm 32mm 38mm 40mm 50mm 60mm	0.5-1.5mm	Chrome Brass White Black Matt nickel Matt chrome Satin nickel



Model	Size	Thickness	Finish
U01GZ002	5x22 15x25 15x30	0.5-1.5mm	Chrome Brass White Black Matt nickel Matt chrome Satin nickel




Model	Size	Thickness	Finish
U01GZ003	20x20 25x25 15x30 16x32	0.5-1.5mm	Chrome Brass White Black Matt nickel Matt chrome Satin nickel

05A.FLANGE



Model	Size	Finish
U01JT001	16mm 19mm 22mm 25mm 50mm	Chrome

05A.TUBE SUPPORT



Art.	D(mm)	H(mm)	Finish	Mat
U01JT005	6mm 19mm 22mm 25mm		CPBL	Zn Alloy

Art.	D(mm)	H(mm)	Finish	Mat
U01JT006	22mm 25mm 32mm		CPBL	Zn Alloy



Art.	D(mm)	H(mm)	Finish	Mat
U01JT007	6mm 19mm 22mm 25mm 32mm		CPBL	Zn Alloy


05A.TUBE CONNECTORS




06.PASSWORD LOCK



U01SK001



U01SK002




Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Glass Cabinet Door




U01SK003



Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Glass Cabinet Door




U01SK004



Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Glass Cabinet Door




U01SK005



Name
Password Cabinet Door Lock
Texture of material
ABS
Color
Black
Unlocking direction
Left opening/Right opening
Application scenario
Drawer cabinet




U01SK006




	Name
	Password Cabinet Door Lock
	Texture of material
	ABS
	Color
	Black
	Unlocking direction
	Left opening/Right opening
	Application scenario
Drawer cabinet	




U01SK007




Name
Password Cabinet Door Lock
Texture of material
ABS
Color
Black
Unlocking direction
Left opening/Right opening
Application scenario
Drawer cabinet




Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Drawer cabinet




Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Drawer cabinet




Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Drawer cabinet



Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Drawer cabinet



Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Drawer cabinet



Name
Password Cabinet Door Lock
Material
Zinc Alloy
Surface Treatment
Light chrome Imitation gold Antique copper Gun black
Application Scenario
Drawer cabinet

Adapt to different sheet thicknesses.



Various surface finishing options.



07.HINGES



U01JL001



U01JL002



U01JL003



U01JL004



U01JL005



U01JL006



U01JL007



U01JL008



Art.	Size	Finish	Mat
U01JL009	26mm	Nickel	Iron

U01JL010



直臂/Full overlay

中弯/Half overlay

大弯/Inset

U01JL012




直臂/Full overlay

中弯/Half overlay


大弯/Inset

产品信息/Product information


材 料: 不锈钢 产品厚度: 1.2mm 铰链开度: 98°-105° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 16-22mm
Material: Stainless steel Thickness: 1.2mm Opening degree: 98°-105° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 16-22mm



直臂/Full overlay



中弯/Half overlay



大弯/Inset

U01JL011



直臂/Full overlay

中弯/Half overlay

大弯/Inset

U01JL013



直臂/Full overlay

中弯/Half overlay

大弯/Inset

产品信息/Product information


材 料: 冷轧钢 产品厚度: 1.2mm 铰链开度: 98°-105° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 16-22mm
Material: Stainless steel Thickness: 1.2mm Opening degree: 98°-105° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 16-22mm



直臂/Full overlay



中弯/Half overlay



大弯/Inset

U01JL018



直臂/Full overlay

中弯/Half overlay

大弯/Inset

U01JL020




直臂/Full overlay

中弯/Half overlay


大弯/Inset

产品信息/Product information


材 料: 冷轧钢 产品厚度: 1.2mm 铰链开度: 98°-105° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 16-22mm
Material: Stainless steel Thickness: 1.2mm Opening degree: 98°-105° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 16-22mm



直臂/Full overlay



中弯/Half overlay



大弯/Inset

U01JL019



直臂/Full overlay

中弯/Half overlay

大弯/Inset

U01JL021




直臂/Full overlay

中弯/Half overlay


大弯/Inset

产品信息/Product information


材 料: 冷轧钢/不锈钢 产品厚度: 1.2mm 铰链开度: 98°-105° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 18-28mm
Material: Cold-rolled steel/Stainless steel Thickness: 1.2mm Opening degree: 98°-105° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48mm Dimension of door (K): 3-7mm Range for door thickness: 18-28mm



直臂/Full overlay



中弯/Half overlay



大弯/Inset

U01JL014



普通款/Normal

液压款/Hydraulic

背面参考/Back

U01JL016




普通款/Normal

液压款/Hydraulic

背面参考/Back

产品信息/Product information


材 料: 冷轧钢/不锈钢 产品厚度: 1.2mm 铰链开度: 98°-105° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 16-22mm
Material: Cold-rolled steel/Stainless steel Thickness: 1.2mm Opening degree: 98°-105° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 16-22mm



直臂/Full overlay



中弯/Half overlay



大弯/Inset

U01JL015



直臂/Full overlay

中弯/Half overlay

大弯/Inset

U01JL017




直臂/Full overlay

中弯/Half overlay


大弯/Inset

产品信息/Product information


材 料: 冷轧钢/不锈钢 产品厚度: 1.2mm 铰链开度: 98°-105° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 16-22mm
Material: Cold-rolled steel/Stainless steel Thickness: 1.2mm Opening degree: 98°-105° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 16-22mm



直臂/Full overlay



中弯/Half overlay



大弯/Inset

U01JL022




普通款/Normal

背面参考/Back

产品信息/Product information

材 料: 冷轧钢 产品厚度: 1.0mm 铰链开度: 135° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 15-22mm
Material: Stainless steel Thickness: 1.0mm Opening degree: 135° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 15-22mm



普通款/Normal



固定款/Fixed



自卸款/Clip-on

U01JL023




普通款/Normal

固定款/Fixed

自卸款/Clip-on

产品信息/Product information

材 料: 冷轧钢 产品厚度: 1.5mm 铰链开度: 165° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 15-22mm
Material: Stainless steel Thickness: 1.5mm Opening degree: 165° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 15-22mm



普通款/Normal



固定款/Fixed



自卸款/Clip-on

U01JL024



普通款/Normal

固定款/Fixed

自卸款/Clip-on

产品信息/Product information

材 料: 冷轧钢 产品厚度: 1.0mm 铰链开度: 45° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 15-22mm
Material: Stainless steel Thickness: 1.0mm Opening degree: 45° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 15-22mm



普通款/Normal



固定款/Fixed



自卸款/Clip-on

U01JL025



普通款/Normal

固定款/Fixed

自卸款/Clip-on

产品信息/Product information

材 料: 冷轧钢 产品厚度: 1.0mm 铰链开度: 90° 铰链深度: 11.5mm
铰链直径: 35mm 孔距: 48/45/52mm 面板(K)尺寸: 3-7mm 门可选用板厚度: 15-22mm
Material: Stainless steel Thickness: 1.0mm Opening degree: 90° Depth of hinge cup: 11.5mm
Diameter of hinge cup: 35mm Hole spacing: 48/45/52mm Dimension of door (K): 3-7mm Range for door thickness: 15-22mm



普通款/Normal



固定款/Fixed



自卸款/Clip-on

08.GAS SPRING

U01CG001



U01CG002



U01CG003



U01CG004



U01CG005



U01CG006



U01CG007



09.WARDROBE ACCESSORIES

U01CG008



U01CG009




U01CG010



U01CG011



U01KJ001



U01KJ002

10"



12"



14"



16"



18"



20"



U01KJ003



10. PUSH OPEN SERIES



L01FTQ001



L01FTQ002



L01FTQ003



L01FTQ004



L01FTQ005



L01FTQ006



L01FTQ007



L01FTQ008



L01FTQ009



L01FTQ010



L01FTQ011



L01FTQ012



11. DOOR SHATTER



L01JM001



L01JM002



L01JM003



L01JM004



L01JM005



L01JM006



L01JM007



L01JM008



L01JM009



L01JM010



L01JM017



L01JM018



L01JM011



L01JM012



L01JM019



L01JM020



L01JM013



L01JM014



L01JM021



L01JM022



L01JM023



L01JM015



L01JM016



L01JM024



L01JM025



L01JM026

12.CABINET FITTING SERIES



Art.	L	L1	L2	L3	H	⌀
U01PJ001	59	49.5	37	32	19	200



Art.	L	L1	L2	L3	H	⌀
U01PJ002	59	49.5	37	32	18.5	400



Art.	L	L1	L2	⌀
U01PJ003	72	22	35	1000



Art.	L	L1	⌀
U01PJ004	64	39	500



Art.	⌀	L	⌀
U01PJ005	16	70	500



Art.	⌀	L	⌀
U01PJ006	16	90	500



Art.	⌀	L	⌀
U01PJ007	4	54	1000



Art.
U01PJ008




Art.
U01PJ009



Art.
U01PJ010



Art.
U01PJ011



Art.
U01PJ012



Art.
U01PJ013



Art.	⌀	⌀1	L	L1	M	⌀
U01PJ014	18	14	17	12	4	500



Art.	⌀	⌀1	L	M	⌀
U01PJ015	16	9	25	4	400



Art.	⌀	⌀1	H	L	L1	M	⌀
U01PJ016	16	2.5	38	21	20	5	1000



Art.	⌀	L	⌀
U01PJ017	16	68.5	500



Art.	⌀	⌀1	L	M	⌀
U01PJ018	24	14	22	8	500



Art.	⌀	L	⌀
U01PJ019	50	30	1500



Art.	⌀	L	⌀
U01PJ020	91	28	400

13.SCREWS SERIES

U01LS001



13.SCREWS SERIES



Model	Size	Finish
U01LS002	5x16	zinc/nickel




Model	Size	Finish
U01LS003	5xM4x27+15mm 8xM6x29+15mm	nickel



Model	Size	Finish
U01LS004	6.4x50 7x50 7x70 5x50	zinc



Model	Size	Finish
U01LS005	M4 M6	zinc



U01LS006



U01LS007

14.CASTORS



U01LS008



U01LS009



U01LS010



U01JL001



U01JL002



U01JL003



U01LS011



U01LS012



U01LS013



U01JL004



U01JL005



U01JL006



U01LS014



U01LS015



U01LS016



U01JL007



U01JL008



U01JL009



U01LS017



U01LS018



U01LS019

15.SHOES RACK



U01JL010



U01JL011



U01JL012



U01JL013



U01JL014




U01JL015




U01XJ001



U01XJ002




U01XJ003



U01XJ004



U01XJ005



U01XJ006



U01XJ007



U01XJ008

16.PVC EDGE BANDING



U01FB001



U01FB002



U01FB003



U01FB004



U01FB005



U01FB006

17.PVC SCREW STICKERS

Art.	Size mm	Finish	Material
U01KT001	D12		PVC

18.CONNECTING FITTINGS



U01LJQ001



U01LJQ002



U01LJQ013



U01LJQ014



U01LJQ003



U01LJQ004



U01LJQ015



U01LJQ016



U01LJQ005



U01LJQ006



U01LJQ017



U01LJQ018



U01LJQ007



U01LJQ008



U01LJQ019



U01LJQ020



U01LJQ009



U01LJQ010



U01LJQ021



U01LJQ022



U01LJQ011



U01LJQ012



U01LJQ023



U01LJQ024

19.ADJUSTABLE LEGS



U01KTL001



U01KTL002



U01KTL003



U01KTL004



U01KTL005



U01KTL006



U01KTL007



U01KTL008



U01KTL009



U01KTL010



U01KTL011



U01KTL012



U01KTL013



U01KTL014



U01KTL015



U01KTL016



U01KTL017



U01KTL018



U01KTL019



U01KTL020



U01KTL021



U01KTL022



U01KTL023



U01KTL024



U01KTL025



U01KTL026



U01KTL027



U01KTL028



U01KTL029



U01KTL030



U01KTL031



U01KTL032



U01KTL033

隐藏式三节滑轨 二维把手

20.drawer runner

U01HG001

三折缓冲隐藏式托底轨-插销款
THREE-FOLD HIDDEN BOTTOM RAIL - LATCH TYPE




产品信息/Product information


材料: 镀锌板 最大承重: 35kg
用途: 商用、家用抽屉及类似设备等
特点: 阻尼装置, 保证抽屉关闭轻柔、动作平稳顺畅, 具有良好的静音效果。抽屉可快速安装和拆卸, 无需工具。
抽屉上下调节量 0~3mm。
适用于抽屉侧板厚: <16/<18(两种规格)
Material: Galvanized
Appication: Commercial and domestic drawer and similar devices, etc.
Features: soft-closing device to ensure the drawer close softly, the moving is smooth and stable, and it has a good mute effect. The drawers can be quickly installed and removed without tools. The drawer can be adjusted up and down: 0-3mm L0ad: <16/s18 (two sizes)

产品型号 Item no	滑轨的标称长度NL(mm) Nominal Slide Length	抽屉长度(DL) Drawer Length	最小柜深(CD) Min Cabinet Depth	包装单位(套)/箱 Packing set/ctn
U01HG002	262	250	270	10
U01HG003	312	300	320	10
U01HG004	362	350	370	10
U01HG005	412	400	420	10
U01HG006	462	450	470	10
U01HG007	512	500	520	10
U01HG008	562	550	570	10
U01HG009	612	600	620	10

孔位安装示意图/Hole mounting



滑轨安装尺寸/Installation dimensions of sliderails



U01HG010

三折缓冲隐藏式托底轨-把手款
THREE-FOLD HIDDEN BOTTOM RAIL - LATCH TYPE HANDLE



U01HG019



U01HG020



U01HG021



U01HG022



U01HG023



U01HG024



U01HG025




U01HG026

产品信息/Product information


材料: 镀锌板 最大承重: 35kg
用途: 商用、家用抽屉及类似设备等
特点: 阻尼装置, 保证抽屉关闭轻柔、动作平稳顺畅, 具有良好的静音效果。抽屉可快速安装和拆卸, 无需工具。
抽屉上下调节量 0~3mm。
适用于抽屉侧板厚: <16/<18(两种规格)
Material: Galvanized
Appication: Commercial and domestic drawer and similar devices, etc.
Features: soft-closing device to ensure the drawer close softly, the moving is smooth and stable, and it has a good mute effect. The drawers can be quickly installed and removed without tools. The drawer can be adjusted up and down: 0-3mm L0ad: <16/s18 (two sizes)

产品型号 Item no	滑轨的标称长度NL(mm) Nominal Slide Length	抽屉长度(DL) Drawer Length	最小柜深(CD) Min Cabinet Depth	包装单位(套)/箱 Packing(set)/ctn
U01HG011	262	250	270	10
U01HG012	312	300	320	10
U01HG013	362	350	370	10
U01HG014	412	400	420	10
U01HG015	462	450	470	10
U01HG016	512	500	520	10
U01HG017	562	550	570	10
U01HG018	612	600	620	10

孔位安装示意图/Hole mounting



滑轨安装尺寸/Installation dimensions of sliderails



CD=最小柜深(Minimum cabinet depth)
DW=抽屉净宽(Drawer width)
DL=抽屉长度(Drawer length)
NL=滑轨的标称长度(The nominal length of the slide rail)
CW=柜子净宽 (Cabinet width)



U01HG027



U01HG028



U01HG035



U01HG036



U01HG029



U01HG030



U01HG037



U01HG038



U01HG031



U01HG032



U01HG039



U01HG040



U01HG033



U01HG034